


**LOCAL STREET BRIDGE**




**COLLECTOR STREET BRIDGE**

\*CROSS SLOPE OF SIDEWALK SHALL BE 1.5% (2.00% MAX AS-BUILT)

**NOTES:**

1. BRIDGE TYPE TO BE APPROVED BY THE TRANSPORTATION DEPARTMENT.
2. RAISED SIDEWALK TO BE PROVIDED. NON-SIDEWALK CONCRETE BARRIER TO BE USED ONLY IF APPROVED BY THE DIRECTOR OF TRANSPORTATION.
3. CONCRETE BARRIER SHALL BE TO CALTRANS STANDARDS OR AS APPROVED BY THE DIRECTOR OF TRANSPORTATION.
4. REFER TO COUNTY OF RIVERSIDE BRIDGE DESIGN MANUAL FOR ADDITIONAL INFORMATION.

NOT TO SCALE

PREPARED UNDER THE SUPERVISION OF:			
			11/30/22
DIRECTOR OF TRANSPORTATION MARK LANCASTER, P.E.			DATE
REVISION	DESCRIPTION	MARK	DATE



COUNTY OF RIVERSIDE
<b>LOCAL AND COLLECTOR STREET BRIDGE</b>
<b>STANDARD No. 115</b>