



NOTES:


1. WHEN ONE OF THE INTERSECTING ROADWAYS HAS AN ULTIMATE PAVED WIDTH OR CURBED WIDTH GREATER THAN 60 FEET, STANDARD No. 1220 SHALL BE USED.
2. WHEN ALL INTERSECTING STREETS HAVE ULTIMATE PAVED WIDTHS OR CURBED WIDTHS OF 60 FEET OR LESS, AND THEY ARE NOT GENERAL PLAN ROADS, USE STANDARD No. 1221.
3. MORE THAN FOUR STREET NAME SIGNS MAY BE REQUIRED AT INTERSECTIONS WITH MORE THAN FOUR LEGS.



* LETTER SIZING AND SPACING SHALL MEET FHWA SPACING GUIDELINES. MINOR VARIATIONS AS APPROVED BY ENGINEER.

NOTES:

- (A) SIGN PLATES (5052-H38 ALUMINUM ALLOY MATERIAL)
- (B) 2" SQ x 12" CAST ANODIZED ALUMINUM POST CAP WITH SIX 3/8" ALLEN HEAD STAINLESS STEEL SET SCREWS TO FIT 0.125" SIGN BLANK



NOT TO SCALE

FOR ABBREVIATIONS SEE SHEET 2

PREPARED UNDER THE SUPERVISION OF:

Mark Lancaster

11/30/22
DATE

DIRECTOR OF TRANSPORTATION
MARK LANCASTER, P.E.




COUNTY OF RIVERSIDE

**STREET NAME SIGN
(CURB TO CURB WIDTH
GREATER THAN 60')**

STANDARD No. 1220 (1 OF 2)

REVISION	DESCRIPTION	MARK	DATE	APPROVED

SIGN INSTALLATION DETAILS




SIGNS SHALL NOT EXCEED 48". IF STREET NAME CONTAINS A SECOND WORD, SECOND WORD MAY BE ABBREVIATED AS FOLLOWS:

SUFFIX	ABBR
AVENUE	Ave
BOULEVARD	Blvd
CANYON	Cyn
CENTER	Ctr
CIRCLE	Cir
COURT	Ct
DRIVE	Dr
LANE	Ln
LOOP	Lp
PARKWAY	Pkwy
PLACE	Pl
RANCH	Rch
ROAD	Rd
SCHOOL	Sch
SPRING	Spr
STREET	St
TERRACE	Ter
TRAIL	Tr
WAY	Way

SIGN INSTALLATION LOCATIONS

- A. 9" BLADE, WITH MAJOR STREET NAME, PERPENDICULAR TO MINOR STREET.
- B. 12" BLADE, WITH MINOR STREET NAME, PERPENDICULAR TO MAJOR STREET.
- C. 12" BLADE, WITH MINOR STREET NAME, PERPENDICULAR TO MAJOR STREET.
 *(ONLY INSTALL SIGN LOC C IF SIGN LOC B DOES NOT PROVIDE GOOD SIGN VISIBILITY)

* FINAL SIGN LOCATION TO BE DETERMINED BY ENGINEER.



NOT TO SCALE

PREPARED UNDER THE SUPERVISION OF:

Mark Lancaster 11/30/22
 DIRECTOR OF TRANSPORTATION DATE
 MARK LANCASTER, P.E.

REVISION	DESCRIPTION	MARK	DATE	APPROVED



COUNTY OF RIVERSIDE

**STREET NAME SIGN
 (CURB TO CURB WIDTH
 GREATER THAN 60')**

STANDARD No. 1220 (2 OF 2)